



FREEDIVE & SPEARFISHING CATEGORY





PROTECTING THE OCEAN WITH ECO-FRIENDLY PACKAGING

Over the past years, Mares has been on a mission to reduce the use of unnecessary plastic in our packaging in an effort to better care for the planet we call home, because if we don't take care of our oceans, who will?

As divers, respecting the ocean is a fundamental rule, but we feel the call to set a higher standard at Mares. We have adopted concrete measures to reduce unnecessary plastic in our company, from removing most of the outer film coatings on our packaging, to using 100% eco-friendly mask boxes. We also encourage our employees, collaborators, and suppliers to do the same. To safeguard what we love most, we must do our part to preserve all bodies of water now and for future generations.

The initial steps have been taken, with non-plastic alternatives gradually being introduced throughout all our lines, hoping in the near future to replace plastic completely.

Join us in our quest to protect the blue planet.

Since 2007, Mares - as a company of the HEAD Group - has been partnered with global environmental charity Cool Earth. This partnership has resulted in a worldwide environmental program - the first of its kind for a sporting goods company. The simple idea behind Cool Earth is that rainforests are worth much more left standing than they are cut down for timber or burnt to clear land for cattle ranching. Clearing just an acre of rainforest can emit a staggering 260 tonnes of CO2. Cool Earth works directly with local communities and NGO's around the world to help them protect their forests and halt the impact of deforestation on climate change.

WE SUPPORT COOL EARTH, SO SHOULD YOU.

Go to coolearth.org and learn more about what you can do to help safeguard the planet's essential ecosystems.







Mares HQ now uses vending machines with paper cups and wooden spoons. All employees have re-usable water bottles and recycling areas have been placed throughout the office environment.



100% ECO-FRIENDLY **MASK BOX**

Mares mask boxes are now molded from sugar cane pulp. Reusable. Recyclable. 100% eco-friendly. Sugar cane pulp is the new cardboard. These new sugar cane fiber-based mask boxes are naturally white, which means no bleaching, and are easier to produce, which lowers water consumption and pollution.



REUSABLE MESH BAGS

Mares mask boxes are now molded from sugar cane pulp. Reusable. Recyclable. 100% eco-friendly. Sugar cane pulp is the new cardboard. These new sugar cane fiber-based mask boxes are naturally white, which means no bleaching, and are easier to produce, which lowers water consumption and pollution.



SUSTAINABLE SHIPPING

We are also significantly cutting down the use of plastic when shipping packages, with no more plastic air cushions or bubble wrap used as filling material.



GREEN 'BIO-PLASTIC' POLYBAGS

The new way to package all Mares fins and snorkels.



75 YEARS = OVER 75% DURABLE YET SUSTAINABLE

We have surpassed our aim of reducing plastic packaging by 70% since our 70th anniversary. Now Mares is proud to say our packaging is over 75% recyclable, with some product lines reaching 100%!



Replacements perform just like standard plastic.



NO PVC

Mares is replacing PVC packaging stickers with paper ones.



MARES REDUCES ITS ENVIRONMENTAL FOOTPRINT

by using ethanol extracted from sugar cane instead of crude oil for ʻbioplastic' polybags, which significantly reduces carbon emissions.



SAY NO TO FILM COATINGS

Mares has removed most of the outer plastic film coatings on our packaging.



SAY GOODBYE TO PLASTIC CLAMSHELL PACKAGING

Mares aims to eliminate all plastic clamshell mask packaging.



CORN-BASED BAGS

The new eco-friendly option for wetsuit packaging.

COLOR MATCHING



X-WING FOOT POCKET COLORED

Code: 420931

- NO BLADE SIDE RIBS
- VERY LIGHTWEIGHT SIZE 42-43 WEIGHS 270G
- NEW SOFTER MATERIAL
- PREFORMED 30° ANGLE
- ERGONOMIC, ULTRA-REACTIVE FOOTPOCKET MADE IN 2 MATERIALS, DESIGNED TO TRANSMIT ENERGY TO THE FIN IN THE MOST EFFECTIVE WAY, OPTIMIZING EFFORT AND IMPROVING PERFORMANCE
- STIFFENED SOLE TO AVOID DEFORMATION OF THE FOOTPOCKET UNDER BLADE LOAD AND ROTATION IN THE LONGITUDINAL AXIS
- DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- PACK INFO: SOLD SINGLY
- AVAILABLE IN BLUE, OLIVE-GREEN AND PINK



TECHNICAL FEATURES

036 - 038 - 040 - 042 - 044 - 046

X-WING BLADE FIXING SET

Code: 420925

PACK INFO: SOLD SINGLY



X-WING FOOT POCKET

Code: 420924

- NO BLADE SIDE RIBS
- VERY LIGHTWEIGHT SIZE 42-43 WEIGHS 270G
- NEW SOFTER MATERIAL
- PREFORMED 30° ANGLE
- ERGONOMIC, ULTRA-REACTIVE FOOTPOCKET MADE IN 2 MATERIALS, DESIGNED TO TRANSMIT ENERGY TO THE FIN IN THE MOST EFFECTIVE WAY, OPTIMIZING EFFORT AND IMPROVING PERFORMANCE
- STIFFENED SOLE TO AVOID DEFORMATION OF THE FOOTPOCKET UNDER BLADE LOAD AND ROTATION IN THE LONGITUDINAL AXIS
- DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- PACK INFO: SOLD SINGLY



TECHNICAL FEATURES

036 - 038 - 040 - 042 - 044 - 046

RAZOR FIN INSOLE

Code: 423943

- PREFORMED INSOLE CAN MAKE A RAZOR FOOT POCKET ONE SIZE SMALLER
- USE SCISSORS TO CUT ALONG THE LINES PROVIDED ON THE UNDERSIDE
- THE LENGTH CAN BE ADJUSTED TO THREE DIFFERENT SIZES
- PACK 5 PCS



SIZES

+EU 39/40	=EU 37/38	=UK 4.5/5	=USA 5/6
+EU 41/42	-EU 40/41	=UK 6.5/7.5	=USA 7/8
+EU 43/44	=EU 42/43	÷UK 8/9	=USA 8.5/9.5
*EU 45/46	-EU 44/45	+UK 10/10.5	=USA 10/11

FOOT POCKET

BI - MATERIAL

The new variable thickness footpocket provides the best of both worlds.

The thicker "X" areas of the footpocket are designed to transmit the energy produced from the leg into the blade with zero dispersion and loss of energy

The footpocket is constructed of a soft material ensuring maximum comfort and fit

The lateral side ribs have been shortened to a minimum, exploiting the best of the elastic and mechanical properties of the blade RIGID FRAME

HEEL TAB

(OMFORTABLE, FLEXIBLE FOOT PO(KET

> BLADE AN(HORING SYSTEM



FASTENING PLATE

res

Sizing of the foot-pocket is measured on actual barefoot size, including a smaller range for more fitting options.

The new X-WING foot-pocket is among the lightest in the market and designed to exploit our new 30-degree incline blade, resulting in pure comfort and maximum thrust / performance.

X-WING C-EVO

Code: 420423 SFT/MED



- BLADE PRODUCED WITH 100% PRE-IMPREGNATED CARBON TO ENSURE HIGH QUALITY AND PROCESS REPEATABILITY
- CARBON WITH FIBERS
- UNIDIRECTIONALLY TO REDUCE SIDE FLECTION

 FIBERS CROSS OVER EACH OTHER FEW TIMES, INCREASING THE RESPONSIVENESS OF
- THE BLADE
 VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 190 MM WIDE AND 750 MM LONG
 HIGH-QUALITY MANUFACTURING PROCESS
- VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
 AVAILABLE WITH A SOFT OR MEDIUM STRENGTH
- BLADE DEPENDING ON THE USER'S

 WEIGHT

 LONG FINS ADAPTED TO A HIGH KICKING FREQUENCY
- FOR FREEDIVING AND DEEP
- SPEARFISHING
 30° BLADE INCLINATION RELATIVE TO THE FOOT 30° BLADE INCLINATION NECTOR
 POCKET
 THE X-WING FOOT POCKET IS DESIGNED TO BE WORN
 ALSO WITHOUT A NEOPRENE SOCK
 INTERCHANGEABLE BLADE CONSTRUCTION

X-WING CS


Code: 420422 SFT/MED



- BLADE PRODUCED WITH 100% PRE-IMPREGNATED CARBON TO ENSURE HIGH QUALITY AND PROCESS REPEATABILITY
 3K WOVEN CARBON FIBERS WITH HIGH RESISTANCE QUALITIES
 FIBERS CROSS OVER EACH OTHER FEW TIMES, INCREASING THE RESPONSIVENESS OF
 THE BLADE
 VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARBARD LCG IETMON

- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLICF LEXION
 THE BLADE IS 185 MM WIDE AND 500 MM LONG
 HIGH-QUALITY MANUFACTURING PROCESS
 VARIABLE SIDE RIBS SUPPORT AND OPTIMIZED CHANNEL THRUST AND FLEX
 AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE DEPENDING ON THE USER'S
 WEIGHT
 MEDIUM LENGTH FINS ADAPTED TO EVERY KICK FREQUENCY
 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
 THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT A NEOPREME SOCK
 INTERCHANGEABLE BLADE CONSTRUCTION

TECHNICAL FEATURES



	Sizes			
EU	UK	USA	Total fin length	
36/37	3/4	4/5	984mm	
38/39	5/6	6/7	998mm	
40/41	6.5/7.5	7/8	1005mm	
42/43	8/9	8.5/9.5	1016mm	
44/45	10/10.5	10/11	1038mm	
46/47	11.5/12	12/13	1047mm	

Blade material	100% Carbon
Diade material	100 % Cal boll


SPARE PARTS

X-Wing Foot Pocket	420924	Page 212
X-Wing Foot Pocket Colored	420931	Page 212
X-Wing Blade Fixing Set	420925	Page 212
X-Wing C-Evo Fin Blade	420934	Page 214

ACCESSORIES

Razor Fin Insole	423943	Page 212

TECHNICAL FEATURES



	Sizes			
U	UK	USA	Total fin length	
/37	3/4	4/5	844mm	
3/39	5/6	6/7	858mm	
)/41	6.5/7.5	7/8	865mm	
2/43	8/9	8.5/9.5	876mm	
/45	10/10.5	10/11	898mm	
/47	11.5/12	12/13	907mm	

Blade material	100% Carbon

SPARE PARTS

X-Wing Foot Pocket	420924	Page 212
X-Wing Foot Pocket Colored	420931	Page 212
X-Wing Blade Fixing Set	420925	Page 212
X-Wing C-S Fin Blade	420933	Page 214

ACCESSORIES

		1
Razor Fin Insole	423943	Page 212



X-WING PRO

Code:420420





- TAPERED HIGH-QUALITY ELASTOMER BLADE FACILITATES EXCELLENT AGILITY AND PERFORMANCE
- PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM FOOT TO BLADE
- V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING

 THE BLADE IS 190 MM WIDE AND 713 MM LONG
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
 THE X-WING FOOT POCKET IS DESIGNED TO BE WORN
- ALSO WITHOUT NEOPRENE SOCKS

 INTERCHANGEABLE BLADE CONSTRUCTION

X-WING

Code: 420419





- TAPERED, HIGH-QUALITY, ELASTOMER BLADE FOR EXCELLENT AGILITY AND PERFORMANCE
 PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM
- DELIVERS PERFECT POWER THANSMISSION FROM
 FOOT TO BLADE

 V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE
 WHILE KICKING
 THE BLADE IS 190 MM WIDE AND 713 MM LONG
 930° BLADE INCLINATION RELATIVE TO THE FOOT
 POCKET

- SUPER SOFT MATERIAL
 THE BEST CHOICE FOR EXTENDED SURFACE SWIMMING AND FREEDIVING
- INTERCHANGEABLE BLADE CONSTRUCTION
 THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCK


COLOR VARIATIONS





BK BWN

TECHNICAL FEATURES



	Sizes			
EU	UK	USA	Total fin length	Width
36/37	4/4.5	4.5/5	937mm	190mm
38/39	5.5/6.5	6/7	951mm	190mm
40/41	6.5/7.5	7/8	958mm	190mm
42/43	8/9	8.5/9.5	972mm	190mm
44/45	10/10.5	10/11	991mm	190mm
46/47	11.5/12	12/13	1000mm	190mm

Blade material	Technopolymer


SPARE PARTS

X-Wing Foot Pocket	420924	Page 212
X-Wing Foot Pocket Colored	420931	Page 212
X-Wing Blade Fixing Set	420925	Page 212
X-Wing Pro Fin Blade	420923	Page 214

ACCESSORIES

ACCESSORIES			
Razor Fin Insole	423943	Page 212	

TECHNICAL FEATURES



	Sizes					
EU	UK	USA	Total fin length	Width		
36/37	4/4.5	4.5/5	937mm	190mm		
38/39	5.5/6.5	6/7	951mm	190mm		
40/41	6.5/7.5	7/8	958mm	190mm		
42/43	8/9	8.5/9.5	972mm	190mm		
44/45	10/10.5	10/11	991mm	190mm		
46/47	11.5/12	12/13	1000mm	190mm		

Blade material	Technopolymer

SPARE PARTS

X-Wing Foot Pocket	420924	Page 212	
X-Wing Foot Pocket Colored	420931	Page 212	
X-Wing Blade Fixing Set	420925	Page 212	
X-Wing Fin Blade	420922	Page 214	

ACCESSORIES			
Razor Fin Insole	423943	Page 212	

X-WING SHORT

Code:420421





- TAPERED, HIGH-QUALITY ELASTOMER BLADE FOR EXCELLENT AGILITY AND PERFORMANCE

 THE BLADE IS 138 0M MUDE AND 613 MM LONG

 V-TIP BLADE TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING

 PINK AND BLUE VERSIONS HAVE A 25% SOFTER BLADE VERSUS X-WING PRO FINS

 THE PINK OR BLUE VERSIONS ARE THE BEST CHOICE FOR EXTENDED SURFACE

 SWIMMING, FREEDIVING AND LIGHTWEIGHT DIVERS, WHEREAS THE DLIVE-GREEN

 VERSION IS ADVISED FOR EXTENDED SURFACE SWIMMING AND SPEARISHING

 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET

 INTERCHANGEABLE BLADE CONSTRUCTION

 THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE

 SOCKS

 PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER

 TRANSMISSION FROM FOOT TO BLADE

COLOR VARIATIONS








BL

OL

TECHNICAL FEATURES



	Sizes			
EU	UK	USA	Total fin length	Width
36/37	4/4.5	4.5/5	837mm	190mm
38/39	5.5/6.5	6/7	851mm	190mm
40/41	6.5/7.5	7/8	858mm	190mm
42/43	8/9	8.5/9.5	869mm	190mm
44/45	10/10.5	10/11	891mm	190mm
46/47	11.5/12	12/13	900mm	190mm

Blade material	Technopolymer
----------------	---------------

SPARE PARTS

X-Wing Foot Pocket	420924	Page 212	
X-Wing Foot Pocket Colored	420931	Page 212	
X-Wing Blade Fixing Set	420925	Page 212	
X-Wing Short Fin Blade	420932	Page 214	

ACCESSORIES

	3	
Razor Fin Insole	423943	Page 212

POLYPROPYLENE FINS

Manufactured using a complex injection moulding process that makes it possible to achieve variable-geometric thicknesses, as with carbon and fiberglass blades.

This process allows us to make the blade soft and elastic in all the right places.

The new range of fins and blades are designed for every use and all types of divers, from the freediver to the spearfisher,

while also offering dedicated blades in the women's market.

The blades are paired with our new foot pockets in matching colors and new, increasingly soft and comfortable materials.

All the blades are at a 30-degree inclination from the foot pocket, transforming the blade into a natural extension of the leg while optimizing output, thereby decreasing fatigue when swimming on the surface.



	X-WING PRO	X-WING PRO	X-WING	X-WING SHORT	X-WING SHORT	X-WING SHORT
CODE	420420 BK	420420 BWN	420419	420421 BL	420421 PK	420421 GN
HARONESS	MEDIUM	MEDIUM	SOFT	SOFT	SOFT	MEDIUM
BLADE LENGTH	713 mm	713 mm	713 mm	613 mm	613 mm	613 mm
FREEDIVING			•	•	•	
SPEARFISHING	•	•				

X-TREAM

Code:421417



- OVER MOLDED FRAME AND ANATOMICAL SKIRT

- OVER MOLDED FRAME AND ANATOMICAL SKIRT

 MINIMUM DISTANCE BETWEEN THE LENS AND EYES

 ULTRA-MINIMAL INTERNAL VOLUME

 INCREASED FIELD OF VISION

 VERY LIGHTWEIGHT

 ANTI-REFLECTIVE PROPERTIES

 HYDRODYNAMIC PROFILE REDUCES DRAG IN THE WATER

 ERGONOMIC MASK STRAP BUCKLES FOR BETTER HYDRODYNAMICS

 ERGONOMIC MASK STRAP SNORKEL RETAINER FOR EASY DONNING

 EMBOSSED GRIP AREA ON THE NOSE FOR THE PERFECT FIT WITH A NOSE CLIP

 SOFT SILICONE SKIRT

- SOFT SILICONE SKIRT
 LONG STRAP
 AVAILABLE IN BLACK, GREEN, BLUE, OLIVE-GREEN AND NEON-YELLOW



COLOR VARIATIONS











DETAILS







ELEMENT FLOATING

Code: **421458**

- FLOATS IN FRESH AND SALT WATER. NEVER LOSE YOUR SNORKEL AGAIN!
 SOFT TUBE
 THE DIAMETER AND LENGTH OF THE SNORKEL ARE OPTIMIZED FOR NATURAL, EFFORTLESS BREATHING
 HYPOALLERGENIC SILICONE MOUTHPIEC







ASCENT PONCHO

Code: **429514**

- UNISEX
- HIGH-QUALITY MICROFIBER (300G/M2)
- VERY SOFT AND LIGHT
- **EXCELLENT ABSORBENT QUALITIES**
- QUICK DRYING
- FEATURES A DOUBLE-LINED HOOD
- TWO SIDE POCKETS
- IDEAL FOR ALL SPORTS AND CHANGING
- OUTDOORS



NEOPRANE CAP

Code: **425869**



- MADE IN 2MM NEOPRENE FULLY WIND/WATERPROOF
- SMOOTHSKIN NEOPRENE 'WATER-STOP' BAND INSIDE
- ADJUSTABLE VELCRO® BRAND CLOSURE AT THE BACK
- ONE SIZE



SILICONE STRAP FD COLLAR

Code: **425866**



- SOPHISTICATED FREEDIVING WEIGHT COLLAR SYSTEM
- 300G WEIGHTS WHICH CONNECT INDIVIDUALLY
- EASY WEIGHT ADJUSTMENT
- WHITE WEIGHTS FOR BETTER VISIBILITY AND NICE DESIGN
- TWO ADJUSTABLE STRAPS: CORDURA OR SILICONE
- BUCKLES ARE DESIGNED FOR SIMPLE AND INTUITIVE USE





WEIGHT FD COLLAR

Code: 425864



- Sophisticated freediving collar weight system
- Individually attachable 300g weights
- Easy to adjust
- White color for greater visibility and an attractive look
- Buckles are designed for easy and intuitive use



TRAINING BUOY

Code: 425715



- FOUR OUTSIDE HANDLES FOR PRE-DIVE PREPARATION AMPLE INSIDE SPACE TO CONTAIN THE LINE DURING TRANSPORTATION

- EXTERNAL POCKET WITH ZIP
 ORAL INFLATOR AND OVER PRESSURE VALVE
 STAINLESS STEEL D-RING FOR TO CONNECT THE FREE DIVING LINE
 12 HOLES FOR WATER DRAINAGE
- DIVE FLAG (CODE: 45200301) AND FLAG SUPPORT (CODE: 425716) NOT INCLUDED



BOTTOM PLATE

Code: **425814**



- THE BEST FREEDIVING BOTTOM PLATE FOR TRAINING AND.
- COMPETITIONS
 DESIGNED FOR USE WITH Ø 10MM FREEDIVING LINE
- OPTIMAL HYDRODYNAMIC PERFORMANCE THANKS TO ITS SHAPE AND HOLES FOR WATER
 Ø 27CM WHITE PLATE FOR GREAT VISIBILITY FROM A
- DISTANCE
- CONNECTION HOLES AVAILABLE: 2 FOR ACTION CAMS 16
 FOR VELCRO NAME TAG
 STRIPS 32 FOR DEPTH TAGS



NOSE CLIP APNEA

Code: **425866**



- ERGONOMIC SHAPE FOR HANDS-FREE COMPENSATION
- LIGHT AND COMPACT
- SOFT OVER MOLDED AREA FOR MAXIMUM GRIP AND COMFORT
- CAN BE APPLIED ON THE MASK OR NOSE
- IDEAL FOR SWIMMING AND FREEDIVING IN ALL ENVIRONMENTS
- SYMMETRICALLY FORMED
- ADJUSTABLE LANYARD

LANYARD FREEDIVING

Code: 423992 - Lanyard Freediving

Code: 423995 - Lanyard Freediving with snap

release



- RELEASABLE SAFETY CABLE
- SAFETY RELEASE SYSTEM ON THE BRACELET
- STAINLESS STEEL SNAP HOOK
- COATED STEEL CABLE, YELLOW COLOR AND 100CM LONG
- TWO SWIVELS AT THE EXTREMITIES OF THE CABLE
- THE LANYARD IS MANDATORY IN COMPETITION, AND RECOMMENDED **DURING COURSES AND TRAINING**





SNIPER PS

Code: **423424**

90 cm - 75 cm - 55 cm - 45 cm




- OUTER BARREL IN ANODIZED ALUMINUM
- COMPACT MUZZLE FOR PAIR OF SLINGS
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEFL
- SET UP FOR A VERTICAL SPIRO REEL
- SHAFT ZINC-COATED, 6.5MM SINGLE BARB TAHITIAN SHAFT
- PAIR OF 16MM S-POWER SLINGS
- RACE WISHBONE



TECHNICAL FEATURES

Barrel			28	mm	
Sizes		45	55	75	90
Slg shaft zinc-coated	Ø mm	6.5	6.5	6.5	6.5
	cm	75	85	115	130
S-Power pair of slings	Ø mm	16	16	16	16
	cm	16	19	22	24

DETAILS





SNIPER ALPHA

Code: **423422**

75 cm - 55 cm - 45 cm - 35 cm




- OUTER BARREL IN ANODIZED ALUMINUM
- COMPACT MUZZLE WITH CIRCULAR SLING
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEEL SET UP FOR A VERTICAL SPIRO REEL
- SHAFT ZINC-COATED, 7MM THREADED
- SINGLE -BARB BULLET SPEAR TIP
- 14MM S-POWER CIRCULAR SLING
- RACE WISHBONE



TECHNICAL FEATURES

Barrel		25 mm			
Sizes		35	45	55	75
Slg shaft zinc-coated	Ø mm	7	7	7	7
	cm	58	68	78	98
S-Power circular sling	Ø mm	14	14	14	14
	cm	28	30	34	50

DETAILS







SLG THREAD SHAFT 7 ZINC COATED

S-POWER SLINGS CIRCULAR 14MM

Code: **423957**



DIAMETER: Ø 7 mm					
GUN MODEL: Sniper - Sniper PS - Sniper Alpha - Sniper Pro					
LENGTH	GUN SIZE				
58 cm	35				
68 cm	45				
78 cm	55				
98 cm	75				
113 cm	90				



SLING POWER PAIR

Code: **423957**

Code: **423255**

16 - 19 - 22 - 24 - 26



VERTICAL SPIRO

Code: **423933 -** Vertical Spiro 65

Code: **423934 -** Vertical Spiro 87



- 65 MM & 87 MM SPOOL
- DESIGNED SPECIFICALLY FOR MARES SHOTGUNS
- THE PIN ON THE REEL FACILITIES THE ADHERENT PASSAGE OF THE LINE ALONG THE OUTER BARREL
- MARES PATENTED CLUTCH




DIVE KNIVES MAXIMUS & NEUTRON

Our multipurpose diver's knives are available in 2 sizes: 230mm and 137mm.

Blade thickness is 4mm, and both models feature a blade with a blunt tip, a screwdriver, a razor blade, a serrated edge blade, a bottle opener and a line cutter, but that isn't all!

Both knives come with a robust Cordura sheath with attachment loops for a belt and straps for arm or ankle attachment.



MINI MULTITOOL SMARTY



The multitool's main features are:

- TOTAL LENGTH OF 95 mm
- BOTTLE OPENER
- 4 mm ALLEN KEY
- SCREWDRIVER
- 4-6-8-13-14 mm SPANNERS
- AN ATTACHMENT LOOP

DON'T BE WITHOUT YOUR SMARTY MINI MULTITOOL.
THE VERSATILE ADDITION TO YOUR DIVING EQUIPMENT!

MAXIMUS

Code : 415604

- MULTIPURPOSE DIVER'S KNIFE
- BLADE AND HANDLE IN STAINLESS STEEL 440(W1.14116) WITH A PVD COATING TO PREVENT CORROSION IN THE WATER
- 55/56 HRX
- 4MM BLADE THICKNESS
- 230MM TOTAL LENGTH
- FEATURES A BLUNT TIP, SCREWDRIVERS, A RAZOR BLADE, A SERRATED EDGE BLADE,
 - A BOTTLE OPENER AND A LINE CUTTER
- ROBUST CORDURA SHEATH WITH STRAPS FOR ARM OR ANKLE ATTACHMENT



NEUTRON

Code: **415605**

- MULTIPURPOSE DIVER'S KNIFE
- BLADE AND HANDLE IN STAINLESS STEEL 440(W1.14116) WITH A PVD COATING TO PREVENT CORROSION IN THE WATER
- 55/56 HRX
- 4MM BLADE THICKNESS
- 137MM TOTAL LENGTH
- FEATURES A BLUNT TIP, SCREWDRIVERS, A RAZOR BLADE, A SERRATED EDGE BLADE,
 - A BOTTLE OPENER AND A LINE CUTTER
- ROBUST CORDURA SHEATH WITH STRAPS FOR ARM OR ANKLE ATTACHMENT



PURE

Code: 415629

- 11.8 CM AISI 420 STAINLESS STEEL BLADE
- TOTAL LENGTH WITH HANDLE: 23 CM
- CURVED SIDE OF THE BLADE HAS A SMOOTH EDGE
- STRAIGHT SIDE OF THE BLADE HAS A SERRATED EDGE AND A LINE CLITTER
- NON-SLIP HANDLE THANKS TO THE OVERMOLDING THAT COVERS IT, INCREASING GRIP
- EASY RELEASE SYSTEM
- RIGID SHEATH CAN BE ATTACHED TO THE CALF OR THIGH USING THE PRACTICAL STRAPS PROVIDED



SMARTY MINI MULTITOOL

Code: 415808

- EXCLUSIVE MARES DESIGNED MINI MULTITOOL
- THE PERFECT COMPACT TOOL FOR BASIC OPERATIONS
- TOTAL LENGTH: 95MM
- STRUCTURE: STAINLESS STEEL 440 (W1.14116) WITH A PVD COATING
- 55/56 HRC
- 4MM ALLEN KEY
- BOTTLE OPENER
- 44MM THICKNESS
- SCREWDRIVER
- 4-6-8-13-14 MM SPANNERS
- INCLUDES AN ATTACHMENT LOOP





SWIM APNEA CAP

Code: **425868**



SILICONE CAP WITH "FREEDIVING PASSION" WRITING AND MARES LOGO



LINE DIAMOND

Code: **423920 - Line Diamond 2 mm**Code: **423922 - Line Diamond 1 mm**Code: **423921 - Line Diamond 1.5 mm**









MARES LAB

BASIC SERVICE TECHNICIAN DIGITAL LEARNING COURSE

The highly interactive online digital learning course is delivered to the learner using the latest Educational Management System (EMS) technology. The EMS platform technology along with extensive use of video and graphic content enhances learning and retention of information and produces a highly enjoyable educational experience. The course is open to anyone, and can be accessed by contacting the local Mares Subsidiary or Distributor.

take this course as the first step to becoming a fully qualified Mares Service Technician, or if you simply want to learn the basics of regulator designand service and/or repair. This course is a prerequisite requirement for most MaresLab Skill Based Training Courses. Completion of this course does not qualify you to service or repair Mares equipment.



The course goals are to:

- 1. Establish your basic knowledge level relating to regulator service and repair procedures.
- 2. Provide you with basic information about regulator design and function.
- 3. Provide you with Mares specific information relating to service and product information.
- 4. Help prepare you for success in one or more Mares Lab Skill Based Training Courses.

Prerequisite Requirements:

Course is open to anyone.

MARES LAB SKILL BASED TRAINING COURSES

- MARES SERVICE TECHNICIAN
- MARES DIVING CENTER SERVICE TECHNICIAN
- MARES SPECIALTY SERVICE TECHNICIAN



After successfully completing the Basic Service Technician Digital Learning Course, you are now ready to progress to the skill based training phase of becoming a qualified Mares Service Technician. These courses conducted by qualified Mares Lab Instructorsand consist of comprehensive hands-on training exercises. During these courses you will have opportunity to perform multiple service procedures on a wide variety of Mares products, including multiple complete regulator service overhauls on various Mares regulators. You'll also gain valuable experience in using the MaresService Manual and Spare Parts Catalog duringroutine and special service procedures. Skill based training courses are designed to:

- 1. Provide comprehensive, real world, handson training about how service andrepair Mares product.
- 2.Enhance the knowledge gained from the Basic Service Technician Digital Learning Course.
- 3. Develop skills and abilities to the level required to successfully perform service and repair procedures on Mares products.
- 4. Prepare you for a successful full or parttime career as a Mares Service Technician.

MARES LAB SKILL BASED TRAINING COURSES

This course is designed for technicians who plan to work in a Mares Diving Center, such as a resort or diver training facility, that has limited or no retail sale of Mares equipment. Course duration is 1 day and provides skill based training related to the Mares Diving Center product line. Take this course if you plan to work in a Mares Diving Center and are interested in being able to service and repair your affiliated Mares Diving Center owned Mares products. Successful completion of the Diving Center Service Technician Course qualifies you to service and repair ONLY your affiliated Diving Center OWNED equipment used in rental and/or training programs.

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course. Be affiliated with an Authorized Mares Diving Center.

Be approved by the affiliated Mares Diving Center to attend the course.

The trademark mares is registered trademark. Product specifications and characteristics listed in this catalogue may be subject to changes by Mares without notice.

ি PHOTO REDITS: PT. Akua Tika Import - www.media.mares.com